

**BIG SAVINGS**  
**TOTAL TOOL EXCLUSIVE**  
**ON ALL IN-STOCK FALLTECH®**



**SPEND**  
**\$500**  
**GET \$50 OFF**  
FAL500OFF2026

**SPEND**  
**\$1,000**  
**GET \$200 OFF**  
FAL2000OFF2026

**SPEND**  
**\$3,000**  
**GET \$800 OFF**  
FAL8000OFF2026

MAXIMUM 5 REDEMPTIONS. SAVINGS APPLY PER TIER THRESHOLD AND CANNOT BE COMBINED OR STACKED ACROSS DIFFERENT TIERS. VALID ON ALL IN-STOCK FALLTECH® ITEMS.




**FAL721530LEC**  
FT-R™ Class 2  
Leading Edge  
SRL with 30'  
Galvanized  
Steel Cable

**FAL8123BQCL**  
FT-One™ 3D  
Construction  
Belted Full  
Body Harness,  
Quick Connect  
Adjustments **S-3XL**



**FAL7509**  
8' Confined Space  
Tripod System  
with 60' Galvanized  
Steel SRL-R and  
Personnel Winch



**FAL84711SC1**  
11' FT-X™ Web  
Class 1 SRL-P with  
Steel Snap Hook,  
Includes Steel Dorsal  
Connecting Carabiner



**FAL7008C**  
Tradesman® Pro 1D  
Standard Non-belted  
Full Body Harness,  
Tongue Buckle Leg  
Adjustments **S-3XL**

**FAL84106TP3**  
6' FT-X™ EdgeCore™ Class 2  
Leading Edge Personal  
SRL-P, Twin-leg with Steel  
Swivel Rebar Hooks



**SCAN HERE  
TO SHOP  
FALLTECH®  
NOW**

# TOTAL TOOL IS YOUR TRUSTED PARTNER FOR FALL PROTECTION

## ESSENTIAL BEST PRACTICES FOR WORKERS

### THE RIGHT WAY TO DON YOUR SAFETY HARNESS

- 1** Inspect your harness for damage. Remove if inspection fails.
- 2** Prepare your harness by holding it from its dorsal D-ring.
- 3** Put on your shoulder straps.
- 4** Secure your leg straps.
- 5** Adjust your torso straps.
- 6** Fasten your chest strap.
- 7** Secure your waist strap if belted.
- 8** Have a buddy check to make sure everything looks good.
- 9** Perform a final check on your straps, buckles, and D-rings.



### 6 MUST-DOS TO WORK SAFELY AT HEIGHT



- 1** Always do your pre-use equipment inspection.
- 2** Respect 100% tie-off when needed (falls happen in the transitions).
- 3** Stop work if potentially unsafe practice is discovered.
- 4** Ensure proper full-body harness fit (t-shirt size is not always your full-body harness size).
- 5** Use lanyard keepers to stow unconnected fall protection (energy-absorbing lanyards or self-retracting lifelines).
- 6** Reduce swing-fall by working near your anchor.

DENVER, COLORADO  
303.595.8488

GREELEY, COLORADO  
970.352.8585

INDIANAPOLIS, INDIANA  
317.876.8800

DES MOINES, IOWA  
515.244.1516

KANSAS CITY, KANSAS  
913.722.7879

LOUISVILLE, KENTUCKY  
502.635.6348

HIBBING, MINNESOTA  
218.263.8687

ST. PAUL, MINNESOTA  
651.646.4055

LINCOLN, NEBRASKA  
402.476.6673

OMAHA, NEBRASKA  
402.592.7385

APPLETON, WISCONSIN  
920.687.4061

MILWAUKEE, WISCONSIN  
262.547.5548

SUPERIOR, WISCONSIN  
715.392.2294

WAUSAU, WISCONSIN  
715.848.2703

